

FIVE LAYER HIGH TEMPERATURE HOT PRESSING

If you don't relax on quality, you won't be able to do it layer by layer.

WEAR-RESISTANT LAYER

(Wear-resistant and scratch-resistant to get home safely)

TEXTURE LAYER

(High-temperature pressing is waterproof and does not fade)

FOAM COTTON LAYER


(Foamed pearl cotton is elastic)

BACK ADHESIVE LAYER

(When torn, it will stick, which is sticky and does not become warped)

BASE PAPER LAYER

(Oil surface parting ensures peeling rate)




INSTALLATION STEPS



first step



Second step



Third step



Fourth step

Clean the walls and keep them dry and dust-free. Measure the size of the overall planning, so as not to take unnecessary waste. Tear off the back aluminium-foil paper. Apply pressure when both sides joint seamlessly. Suitable for cement wall, gypsum wall, iron wall, wood wall, glass wall, marble wall, ceramic wall, and painted wall.




型号：536D1




型号: 595






型号：6265





型号：6263






型号：6267





型号: JC-002






型号: 90571D1





型号：90570D1





型号: 90558






NO:PLD2027尼尔斯金






型号: PLD2032柏金





型号: PLD2036亮晶晶




型号: YP-92





NO:6027-1





NO:6210-1

